# **INDEX TO VOLUME 52**

## AUTHORS INDEX\*

AABERG, MONRAD E., Ancylostomiasis and hypoproteinemia complicated by pregnancy, 854

ABRAMS, ARCHIE A., AND ABRAMS, SOL. B., Successful treatment of hydramnios with ammonium chloride, 299

ABRAMS, SOL. B. (WITH ABRAMS, ARCHIE A.), Successful treatment of hydramnios with ammonium chloride, 299

ADRIANI, JOHN (WITH PARMLEY, RAY T.), Saddle block anesthesia with nupercaine in obstetrics, 636

ANDREWS, C. J., AND NICHOLLS, RICHARD B., Recurrent placenta previa, 347 (Correspondence)

spondence)

BARTELMEZ, G. W. (WITH ROSSMAN, I.), Delayed ovulation, a significant factor in the variability of the menstrual cycle, 28
BEECHAM, CLAYTON T., Conservative surgery in endometriosis, 707
BELSON, MAURICE O., The Rh factor in obstetrics, 106
BENSON, RALPH C., The treatment of acute postpartum thrombophlebitis of the lower extremity by continuous caudal anesthesia, 830
BERNSTEIN, PHINEAS, SCHOENECK, FERDINAND J., AND ZERNER, HERBERT. GOVERNMENT IN WARTING, JOHN J., AND FAVORITE, GRANT O., Granulosa-cell tumor of the ovary, 677
BONSNES, R. W. (WITH STANDER, H. J., AND STROMME, W. B.), Late postpartum eclampsia, 765
BUNKIN, IRVING A. (WITH FALK, HENRY C.), A study of 500 vaginal hysterectomies, 623
BURT, OLAN P. (WITH SILBERNAGEL, WYNNE M.), Pyridoxine in nausea and vomiting of pregnancy, 173 (Correspondence)
BUTLER, EDWIN M., AND HOWARD, VIRGINIA,

BUTLER, EDWIN M., AND HOWARD, VIRGINIA, Multiple pregnancy with early abor-tion of one fetus, 163

CAMPBELL, ZEPH B., A report on 2,798 vaginal hysterectomies, 598
CARR, CLAIRE E. (WITH NORA, ERNEST), Umbilical accessory liver, 330
CHEEK, DAVID B., AND DAVIS, JAMES E., Pathologic findings in genital bleeding two or more years after spontaneous cessation of menstruation, 756
CHESLEY, LEON C., COSGROVE, S. A., AND PREECE, JOHN, Hydatidiform mole, with special reference to recurrence and associated eclampsia, 311
COHN, ALFRED, GRUNSTEIN, ISAAK, AND HEATON, C. E., The persistence of the gonococcus in the female adnexa, 83

Cole, John Totterdale, Maternal obstetric paralysis, 372
Coleman, Frank C. (With Cofland, Sidner M.), Bilateral concomi.ant fibroma and serous cystadenoma of the ovary, 141
Collins, Conrad G., and Nelson, Edward W., Phlebothrombosis and thrombophlebitis in gynecology and obstetrics, 946

phlebitis in gynecology and obstetrics, y46

Compton, J. Roy, A new introducer and cannula for obstetric and surgical cases suitable for caudal analgesia, 503

Conti, Eugene A., And Glenn, John W., Hemolytic disease associated with the Rh factor in twin pregnancies, 446

Copland, Sidney M., And Coleman, Frank C., Bilateral concomitant fibroma and serous cystadenoma of the ovary, 141

Cornelison, J. L., Johnson, E. A., and Fisher, W. M., Bacteriology of the oronasal cavity of the newborn, 797

Coryell, Margaret (with Pratt, J. P., Roderuck, Charlotte, and Macy, Icie G.), Composition of the human placenta, III. Vitamin content, 783

Cosgrove, S. A. (With Chesley, Leon C., and Preece, John), Hydatidiform mole, with special reference to recurrence and associated eclampsia, 311

—, and Waters, E. G., an evaluation of extraperitoneal cesarean section, 237

Coulton, Donald (with Sewall, C. Wesley), Manual removal of the placenta; a benign procedure, 564

Curtis, Arthur C., and Morrow, Grant, The treatment with massive arsenotherapy of early syphilis complicated by pregnancy, 284

The treatment with massive arsenotherapy of early syphilis complicated by pregnancy, 284

CURTIS, ARTHUR H., Another case of arrhenoblastoma, 128

—, The origin of adrenal-like tumor of the ovary, 115

DANFORTH, W. C., Total abdominal hysterectomy, 218

DANNREUTHER, WALTER T., Therapeutic abortion in a general hospital, 54

DAVENFORT, J. W., JR., (WITH KING, E. L.), Some clinical aspects of the Rh factor in obstetrics, 917

DAVIES, JOSHUA (WITH MILLEN, ROBERT S.), See-saw resuscitator for the treatment of asphyxia in the newborn, 508

DAVIS, JAMES E. (WITH CHEEK, DAVID B.), Pathologic findings in genital bleeding two or more years after spontaneous cessation of menstruation, 756

DIECKMANN, WILLIAM J., Fetal mortality in breech delivery, 349

DIEHL, WILLIAM K., AND HAUGHT, JOHN S., Sarcoma of the vagina, 302

DILL, L. V., AND MAIDEN, ROBERT M., The electrical potentials of the human uterus in labor, 735

DINDIA, ANTHONY H., AND TURCOTTE, VINCENT J., Extrauterine pregnancy, 321

<sup>\*</sup>July, pp. 1-178; August, pp. 179-348; September, pp. 349-528; October, pp. 529-706; November, pp. 707-880; December, pp. 881-1066.

DOBRZYNSKI, F. A. (WITH KUSHNER, DAVID H.), Abdominal pregnancy with pla-cen.a attached to the spleen, 160

s, H. Gordon, An unusual case of rup-ture of the uterus with massive hemor-rhage, 135

DURBURG, JOHN R., Chorionepithelioma in an 18-year-old primigravida, 484

ELLER, WILLIAM C., Cerebrovascular complications of pregnancy, 488

— (WITH MENGERT, WILLIAM F.), Graphic portrayal of relative pelvic size, 1032

EVERETT, HOUSTON S. (WITH JONES, GEORGIANNA SEEGAR), Arrhenoblastoma of the ovary, with a report of two cases, 614

FALK, HENRY C., Interpretation of the patho-genesis of pelvic infection as deter-mined by cornual resection, 66

—, AND BUNKIN, IRVING A., A study of 500 vag.nal hysterectomies, 623

FARELL, DAVID M. (WITH SCHEFFEY, LEWIS C., THUDIUM, WILLIAM J., AND HAHN, GEORGE A.), Con.roversial factors in the management of fundal carcinoma,

FARRIS, EDMOND J., A test for determining the time of ovulation and conception in women, 14

FAVORITE, GRANT O. (WITH BIANCO, JOHN J.),
Granulosa-cell tumor of the ovary, 677
FISHER, W. M. (WITH CORNELISON, J. L.,
AND JOHNSON, E. A.), Bacteriology of
the oronasal cavity of the newborn,

FLICKINGER, F. MILES, AND MASSON, JAMES C., Lipomas of the broad ligament extend-ing beyond the confines of the pel-vis, 681

GLENN, JOHN W. (WITH CONTI, EUGENE A.),
Hemolytic disease associated with the
Rh factor in twin pregnancies, 446
GOLD, SIMON, AND KEARNS, P. J., Cystic adenomyosis of the uterus, 840
GOLDFARB, WILLIAM S., AND VEPROVSKY, EDWARD C., Acute suppurative parotitis
complicating pregnancy at term, 147
GOLDSTINE, MARK T., Arrhenoblastoma of the
ovary, 123
GORDON, CHARLES A., The Manchester opera-

GORDON, CHARLES A., The Manchester operation, with special reference to parturition and complete prolapse, 228
GORDON, JULES D., Sliding hernia of the Fallopian tube, 336
GOTTSCHALK, ROBERT H., Respiration during the first hour of life, 651
GREENBERG, EMANUEL M., The fourth stage of labor, an account of the physiology and clinical aspects of the postpartum uterus during the first postplacental hour, 746
GRUNSTEIN, ISAAK (WITH COHN, ALFRED, AND HEATON, C. E.), The persistence of the gonococcus in the female adnexa, 83
GUSBERG, S. B., Prolapse of the umbilical

GUSBERG, S. B., Prolapse of the umbilical cord, 826

— (WITH WATSON, B. P.), Prevention and treatment of carcinoma of the vulva, 179

GUTERMAN, HENRY S., The Guterman pregnancy test, 174 (Correspondence)
GUYER, HERBERT B. (WITH TAYLOR, HOWARD C., JR.), A seven-year history in early cervical cancer, 451

—, AND HEATON, CLAUDE E., The fetal risk in breech delivery, 362

### H

HAHN, GEORGE A. (WITH SCHEFFEY, LEWIS C., THUDIUM, WILLIAM J., AND FARELL, DAVID M.), Controversial factors in the management of fundal carcinoma,

HAMMOND, HOWARD, JR., AND NUZUM,
THOMAS O., Adult Mediterranean
anemia complicated by pregnancy, 686
HARRIS, C. M., AND LEVITON, L. R., Bilateral
simultaneous tubal pregnancy, 492
HAUGHT, JOHN S. (WITH DIEHL, WILLIAM K.),
Sarcoma of the vagina, 302
HAWKES, STUART Z., Enterouterine fistula,
with a review of the literature and
report of an unusual case, 150
HEADINGS, DONALD M., AND PALMER, RUFUS E.,
III, Relation of early rising to morbidity in cesarean section, 661
HEATON, C. E. (WITH COHN, ALFRED, AND
GRUNSTEIN, ISAAK), The persistence
of the gonococcus in the female
adnexa, 83
— (WITH GUYER, HERBERT B.). The fetal risk

adnexa, 83

— (WITH GUYER, HERBERT B.), The fetal risk in breech delivery, 362

HELSEL, E. V., A review of one hundred cases of ovarian cancer, 435

HENDERSON, CHARLES W. (WITH MILLER, NORMAN F.), Corpus carcinoma, a study of three hundred twenty-two cases, 894

of three hundred twenty-two cases, 894

HENDERSON, D. NELSON, Endolymphatic stromal myosis, 1000

HESS, CATHERINE B. (WITH SHARKEY, JOHN A.), The effect of essential hypertension on pregnancy, 672

HESSELTINE, H. CLOSE, AND THELEN, CHRISTINE, Sulfonamides as a prophylac ic agent in conjunction with cesarean section, 813

HOFMEISTER, F. J., Large ovar an cyst, 135

HOLMSTROM, E. G. (WITH MCLENNAN, C. E.), Abdominal wall fibroma (urachal?) simulating ovarian cystoma, 154

HOTCHKISS, ROBERT S. (WITH MACLEOD, JOHN), Semen analysis in 1,500 cases of sterile marriage, 34

HOWARD, VIRGINIA (WITH BUTLER, EDWIN M.), Multiple pregnancy with early abortion of one fetus, 16;

HUNT, ARTHUR B. (WITH TREUSCH, JEROME V., AND ROUSUCK, A. ASHLEY), Infrequency of carcinoma of the uterine cervix among Jewish women, 162

HUNT, MARJORIE (WITH PAGE, ERNEST W., AND LUCIA, S. P.), The antepartum prediction of hemolytic disease of the newborn, 794

INGERSOLL, FRANCIS M. (WITH MEIGS, JOE V.),
Thrombophlebitis and phlebothrombosis in gynecologic patients; the prophylaxis, recognition, and treatment,
938

INGRAM, C. H., Jr., Some observations the Rh factor in pregnancy, 440 Jr., Some observations upon

JAVERT, CARL T., Combined procedure for anteroversion of retroverted uteri, 865 -, Traveling in pregnancy, 347 (Correspondence)

ence)

Johnson, E. A. (WITH CORNELISON, J. L., AND
FISHER, W. M.), Bacteriology of the
oronasal cavity of the newborn, 797

Johnson, Herman W., The clinical diagnosis
of varying degrees of uterine contraction rings, 74

Jones, Georgianna Seegar, and Everett,
Houston S., Arrhenoblastoma of the
ovary, with a report of two cases,
614

SKI, CHESTER A. (WITH SANES, S.), Spontaneous rupture of the liver in eclampsia with fatal hemoperitoneum, KAMINSKI, 325

KAUCHER, MILDRED (WITH PRATT, J. P., MOYER, ELSIE, RICHARDS, ALLEN J., AND WILLIAMS, HAROLD H.), Composition of the human placenta. II. Lip.d con-

of the human places tent, 665

- (WITH PRATT, J. P., RICHARDS, ALLEN J., WILLIAMS, HAROLD H., AND MACY, ICIE G.), Composition of the human placenta. I. Proximate composition,

KEARNS, P. J. (WITH GOLD, SIMON), Cystic adenomyosis of the uterus, 840
KELBERG, MELVIN R., AND RANDALL, J. H.,
Torsion of adnexal tumors and its relation to surgical emergency, 464
KENNEDY, WILLIAM T., Retention catheter,
506
The pursue of microticity is a second control of the pursue of microticity.

-, The muscle of micturition, its role in the s, hinc er mechanism with reference to incontinence of the female, 206
KING, ARTHUR G., Early puerperal rising, 657
KING, E. L., AND DAVENPORT, J. W., JR., Some clinical aspects of the Rh factor in obstetrics, 917
KLEIN, JOSEPH, The relationship of maternal weight gain to the weight of the newborn infant, 574
KROGER, WILLIAM S., The treatment of psychogynecic disorders by hypnoanalysis, 409

KROGER, WILLIAM S., The treatment of psychogynecic disorders by hypnoanalysis, 409

KUDER, ALBERTA (WITH MARCHETTI, ANDREW A., AND KUDER, KATHERINE), A clinical evaluation of ectopic pregnancy,

544 KATHERINE KUDER.

KATHERINE (WITH MARCHETTI, ANDREW, A., AND KUDER, ALBERTA), A clinical evaluation of ectopic pregchnical evaluation of ectopic preg-nancy, 544

— (WITH STROMME, WILLIAM B.), Heart dis-ease in pregnancy, 264

KUKRAL, ALBERT J. (WITH PENNELL, MELVIN T), An unusual case of holoacephalus,

KUSHNER, DAVID H., AND DOBRZYNSKI, F. A.,
Abdominal pregnancy with placenta
attached to the spleen, 160
KUSHNER, J. IRVING, AND WAHRSINGER, PHILIP
B., The Kielland forceps for use in the
occipitoposterior and occipitotransverse positions, 110

LANG, WARREN R. (WITH SCHEFFEY, LEWIS C., AND NUGENT, FRED B.), Clinical and pathologic aspects of primary sarcoma of the uterine tube, 904

LANGMAN, LOUIS, AND TAYLOR, HOWARD C., JR., The selection of forceps for midpelvic arrest of the vertex, 773

LATOUR, J. P. A. (WITH PHILPOTT, N. W., AND VANDORSSER, G. J. E.), Review of cases of Rh iso-immunization during the past five years in the Royal Victoria Montreal Maternity Hospital, 926

926
LEFF, BENJAMIN, Air cystoscope with a universal handle and external light, 505
LEVENTHAL, MICHAEL L., AND SOLOMON,
ERNST M., Pelvic endometriosis as a
cause of hydronephros's, 692
LEVITON, L. R. (WITH HARRIS, C. M.), Bilateral simultaneous tubal pregnancy,
492

LOEB.

492
FRANK R., AND MYERS, RICHARD T.,
Endometriosis in association with
pregnancy, 556
LAURA (WITH WHITACRE, FRANK E.,
AND LOEB, WALTER M., JR.), The time
for postpartum sterilization, 1041
WALTER M., JR. (WITH WHITACRE,
FRANK E., AND LOEB, LAURA), The
time for postpartum sterilization,
1041 LOEB.

LOESER, ALFRED A., Lactobacillus therapy in vaginitis due to trichomonas, 879 (Cor-

vagintis due to trichomonas, 879 (Correspondence)
LOUGHRAN, CHARLES H., Weight control diet, and fluid balance in pregnancy, 42
LUCIA, S. P. (WITH PAGE, ERNEST W., AND HUNT, MARJORIE), The antepartum prediction of hemolytic disease of the newborn, 794
LUIKART, RALPH, High protein, low caloric diet for the prevention of toxemia of pregnancy, 428

M

MACDONALD, JAMES F., AND MASTERS, V. E.,
Bilateral simultaneous tubal pregnancy, 850

MACLEOD, JOHN, AND HOTCHKISS, ROBERT S.,
Semen analysis in 1,500 cases of
sterile marriage, 34

MACY, ICIE G. (WITH PRATT, J. P., KAUCHER,
MILDRED, RICHARDS, ALLEN J., AND
WILLIAMS, HAROLD H.), Composition
of the human placenta. I. Proximate
composition, 402

— (WITH PRATT, J. P., RODERUCK, CHARLOTTE,
AND CORYELL, MARGARET), Composition
of the human placenta. III. Vitamin
content, 783

of the human placenta. 111. Vitamin content, 783

MAIDEN, ROBERT M. (WITH DILL, L. V.), The electrical potentials of the human uterus in labor, 735

MALONE, CHARLES M., Critical study of 390 major gynecologic surgical procedures, 201

MARCHETTI, ANDREW, KUDER, KATHERINE, AND
KUDER, ALBERTA, A clinical evaluation
of ectopic pregnancy, 544
MASSON, JAMES C. (WITH FLICHINGER, F.
MILES), Lipomas of the broad ligament extending beyond the confines of
the pelvis 681

ment extending beyond the confines of the pelvis, 681

MASTERS, V. E. (WITH MACDONALD, JAMES F.), Bilateral simultaneous tubal pregnancy, 850

MCLENNAN, CHAS. E., Further observations on capillary filtration rates in pregnancy, 837

—, AND HOLMSTROM, E. G., Abdominal wall fibroma (urachal?) simulating ovarian cystoma, 154

MEIGS, JOE V., AND INGERSOLL, FRANCIS M., Thrombophlebitis and phlebothrombosis in gynecologic patients; the prophylaxis, recognition, and treatment, 938

MENDELSON, CURTIS LL., The aspiration of stomach contents into the lungs during obstetric anesthesia, 191

MENGERT, WILLIAM F., AND ELLER, WILLIAM C., Graphic portrayal of relative pelvic size, 1032

MICHAELS, JACK P. (WITH NELSON, EDWARD

C., Graphic portrayal of relative pelvic size, 1032

MICHAELS, JACK P. (WITH NELSON, EDWARD W.), Acute postparptum necrosis of the anterior hypophysis, 817

MILLEN, ROBERT S., AND DAVIES, JOSHUA, See-saw resuscitator for the treatment of asphyxia in the newborn, 508

MILLER, NORMAN F., AND HENDERSON, CHARLES W., Corpus carcinoma, a study of three hundred twenty-two cases, 894

MOORE, JOHN H., Environment in obstetrics, 993 MOORE, JON 993

MORROW, GRANT (WITH CURTIS, ARTHUR C.),
The treatment with massive arsenotherapy of early syphilis complicated by pregnancy, 284

MOYER, ELSIE (WITH PRATT, J. P., KAUCHER, MILDRED, RICHARDS, ALLEN J., AND WILLIAMS, HAROLD H.), Composition of the human placenta. II. Lipid content. 665

MUNNELL, EQUINN W., AND TAYLOR, HOWARD C., Jr. Complications and fetal mortality in 136 cases of multiple pregnancy, 588

MYERS, RICHARD T. (WITH LOCK, FRANK R.), Endometriesis in association with pregnancy, 556

nancy, 556

NASH, FRANCIS J., Diabetes insipidus and pre-eclampsia, 863
NECHTOW, MITCHELL J. (WITH REICH, WALTER J.), Primary lipoma of uterus, 157
NELSON, EDWARD W. (WITH COLLINS, CONRAD G.), Phlebothrombosis and thrombo-phlebitis in gynecology and obstetrics, 946

, AND MICHAELS, JACK P., Acute postpartum necrosis of the anterior hypophysis, 817

NICHOLLS, RICHARD B., Rupture of the pos-terior vagina during normal coitus,

500

— (WITH ANDREWS, C. J.), Recurrent placenta previa, 347 (Correspondence)

NORA, ERNEST, AND CARR, CLAIRE F., Umbilical accessory liver, 330

NOYES, ROBERT W., Sickle-cell anemia in pregnancy, 469

NUGENT, FRED B. (WITH SCHEFFEY, LEWIS C., AND LANG, WARREN R.), Clinical and pathologic aspects of primary sarcoma of the uterine tube, 904

NUZUM, THOMAS O. (WITH HAMMOND, HOWARD, JR.), Adult Mediterranean anemia complicated by pregnancy, 686

0

ODELL, LESTER D., AND PLASS, E. D., Intra-partum fever; a preliminary study, 89

PAGE, ERNEST W., The value of plasma pitocinase determinations in obstetrics,

—, HUNT, MARJORIE, AND LUCIA, S. P., The antepartum prediction of hemolytic disease of the newborn, 794

PALMER, RUFUS E., III (WITH HEADINGS, DONALD M.), Relation of early rising to morbidity in cesarean section, 661

PARMLEY, RAY T., AND ADRIANI, JOHN, Saddle block anesthesia with nupercaine in obstetrics, 636

PAVEY, CHARLES W., Modification of the

block anesthesia with nupercaine in obstetrics, 636

PAVEY, CHARLES W., Modification of the Ericson and Johnson resuscitator, 867

PENNELL, MELVIN T., AND KUKRAL, ALBERT J., An unusual case of holoacephalus, 669

PHILPOTT, N. W., LATOUR, J. P. A., AND VANDORSSER, G. J. E., Review of cases of Rh iso-immunization during the past five years in the Royal Victoria Montreal Maternity Hospital, 926

PLASS, E. D. (WITH ODELL, LESTER D.), Intrapartum fever; a preliminary study, 89

POMMERENKE, W. T., Cyclic changes in the physical and chemical properties of cervical mucus, 1023

POTTER, J. CRAIG, Winged stem pessary to correct stenosis of cervix, 164

PRATT, J. P., KAUCHER, MILDRED, MOYER, ELSIE, RICHARDS, ALLEN J., AND WILLIAMS, HAROLD H., Composition of the human placenta. II. Lipid content, 665

—, —, RICHARDS, ALLEN J., WILLIAMS, HAROLD H., AND MACU ICIE G. Comp.

tent, 665

-, —, RICHARDS, ALLEN J., WILLIAMS, HAROLD H., AND MACY, ICIE G., Composition of the human placenta. I. Proximate composition, 402

-, RODERUCK, CHARLOTTE, CORYELL, MARGARET, AND MACY, ICIE G., Composition of the human placenta. III. Vitamin content, 783

PREECE, JOHN (WITH CHESLEY, LEON C.,
AND COSGROVE, S. A.), Hydatidiform
mole, with special reference to recurrence and associated eclampsia, 311
PROSKAUER, GEORGE G., Solid teratomas of the
ovary with neurological metastases,
245

ovary 845

RANDALL, J. H. (WITH KELBERG, MELVIN R.),
Torsion of adnexal tumors and its
relation to surgical emergency, 464
RANDALL, LAWRENCE M., Amenorrhea not associated with pregnancy in young
women, 975
REICH, WALTER J., AND NECHTOW, MITCHELL
J., Primary lipoma of uterus, 157
REID, DUNCAN E., The treatment of prolonged
labor with posterior pituitary extract,
719

REIS, RALPH A., On the origin of certain perisalpingeal cysts, 964
REYNOLDS, VERNE J., Addition of penicillin sodium to anesthetic agent for local infiltration anesthesia, 641
RICHARDS, ALLEN J. (WITH PRATT, J. P., KAUCHER, MILDRED, MOYER, ELSIE, AND WILLIAMS, HAROLD H.), Composition of the human placenta. II. Lipid content, 665
— (WITH PRATT, J. P., KAUCHER, MILDRED, WILLIAMS, HAROLD H., AND MACY, ICLE G.), Composition of the human placenta. I. Proximate composition, 402
RIVETT, LOUIS CARNAC, Hydramnios (the

RIVETT, LOUIS CARNAC, Hydramnios (the Joseph Brettauer Memorial Lecture),

RODERUCK, CHARLOTTE (WITH PRATT, J. P., CORYELL, MARGARET, AND MACY, ICIE G.), Composition of the human placenta. III. Vitamin content, 783
ROSSMAN, I., AND BARTELMEZ, G. W., Delayed ovulation, a significant factor in the variability of the menstrual cycle, 28
ROUSUCK, A. ASHLEY (WITH TREUSCH, JEROME V., AND HUNT, ARTHUR B.), Infrequency of carcinoma of the uterine cervix among Jewish women, 162
RUCKER, M. PIERCE, Constriction ring dystocia, 984

S., AND KAMINSKI, CHESTER A., Spontaneous rupture of the liver in eclampsia with fatal hemoperitoneum,

SAVEL, LEWIS E., An aid in the diagnosis of fetal polarity, 861

SCADRON, SAMUEL J. (WITH WEINBERG, ARTHUR). The value and limitations of pelvioradiography in the management of dystocia, with special reference to midpelvic capacity, 255

SCHEFFEY, LEWIS C., LANG, WARREN R., AND NUGENT, FRED B., Clinical and pathologic aspects of primary sarcoma of the uterine tube, 904

—, THUDIUM, WILLIAM J., FARELL, DAVID M., AND HAHN, GEORGE A., Controversial factors in the management of fundal carcinoma, 529

SCHOENECK, FERDINAND J. (WITH BERNSTEIN,

factors in the management of fundal carcinoma, 529

SCHOENECK, FERDINAND J. (WITH BERNSTEIN, PHINEAS, AND ZERNER, HERBERT), Government sponsorship of a maternity program in wartime, 510

SCHUMANN, EDWARD A., The ways of doctors and the practice of physic (Presidential Address, American Gynecological Society), 881

SEWALL, C. WESLEY, AND COULTON, DONALD, Manual removal of the placenta; a benign procedure, 564

SHARKEY, JOHN A., AND HESS, CATHERINE B., The effect of essential hypertension on pregnancy, 672

SIEGLER, SAMUEL, A new method of treatment for vaginitis and cervicitis, 1

—, AND SILVERSTEIN, LOUIS M., Multiple primary carcinomas, 474

SILBERNAGEL, WYNNE M., AND BURT, OLAN P., Pyridoxine in nausea and vomiting of pregnancy, 173 (Correspondence)

SILVERSTEIN, LOUIS M. (WITH SIEGLER, SAMUEL L.), Multiple primary carcinomas, 474
SMITH, JOSEPH T., Simplified apparatus for insufflation of the tubes with carbon dioxide, 501

SOLOMON, ERNST M. (WITH LEVENTHAL,
MICHAEL L.), Pelvic endometriosis as
a cause of hydronephrosis, 692
SPATT, SAMUEL D., Adenomyosis of the uterus,

SPATT, SAMUEL D., Adenomyosis of the uterus, 581

SPECK, GEORGE, Early diagnosis of anencephaly, 878 (Correspondence)

SPIVACK, MARY, The anatomic peculiarities of the human umbilical cord and their clinical significance, 387

STANDER, H. J. (WITH STROMME, W. B.), Retroperitoneal tumors simulating genital tract neoplasms, 456

—, BONSNES, R. W., AND STROMME, W. B., Late postpartum eclampsia, 765

STROMME, W. B. (WITH STANDER, H. J., AND BONSNES, R. W.), Late postpartum eclampsia, 765

—, AND KUDER, KATHERINE, Heart disease in pregnancy, 264

—, AND STANDER, H. J., Retroperitoneal tumors simulating genital tract neoplasms, 456

STUDDIFORD, W. E., Absorbable (oxidized) gauze as a hemostatic agent in gynecologic surgery, 495

TAYLOR, HOWARD C., JR. (WITH LANGMAN, LOUIS), The selection of forceps for midpelvic arrest of the vertex, 773

— (WITH MUNNELL, EQUINN W.), Complications and fetal mortality in 136 cases of multiple pregnancy, 588

—, AND GUYER, HERBERT B., A seven-year history in early cervical cancer, 451

THELEN, CHRISTINE (WITH HESSELTINE, H. CLOSE), Sulfonamides as a prophylactic agent in conjunction with cesarean section, 813

THOMS, HERBERT, A discussion of pelvic variation and a report on the findings in 100 Negro women, 248

THORNHILL, PAIGE E., Gas bacillus infection primary in the newborn fetus, with report of a case spontaneously occurring at term, the mother surviving, 858

THUDIUM, WILLIAM J. (WITH SCHEFFEY, LEWIS C., FARELL, DAVID M., AND HAHN, GEORGE A.), Controversial factors in the management of fundal carcinoma, 529

TISDALL LESLIE HUGHES. Present status of

cinoma, 529
TISDALL, LESLIE HUGHES, Present status of transfusion of whole blood and its derivatives in obstetrics and gynecol-

derivatives in observed ogy, 788

TREUSCH, JEROME V., HUNT, ARTHUR B., AND ROUSUCK, A. ASHLEY, Infrequency of carcinoma of the uterine cervix among Jewish women, 162

TURCOTTE, VINCENT J. (WITH DINDIA, ANTHONY H.), Extrauterine preg-

TURCOTTE, VINCE ANTHONY nancy, 321

ULLERY, JOHN C., Continuous spinal analgesia in cesarean section, 100

VANDORSSER, G. J. E. (WITH PHILPOTT, N. W., AND LATOUR, J. P. A.), Review of cases of Rh iso-immunization during the past five years in the Royal Vic-toria Montreal Maternity Hospital,

SKY, EDWARD C. (WITH GOLDFARB, WILLIAM S.), Acute suppurative parotitis complicating pregnancy at term, 147 VEPROVSKY.

### W

WAHRSINGER, PHILIP B. (WITH KUSHNER, J.
IRVING), The Kielland forceps for use
in the occipitoposterior and occipitotransverse positions, 110
WATERS, EDWARD G., A diagnostic technique
for the detection of enterocele, 810
—, Mesenteric lymphangioma with intestinal

Mesenteric lymphangioma with intestinal obstruction complicating uterine carcinoma and fibromyoma, 478
 (WITH COSGROVE, S. A.), An evaluation of extraperitoneal cesarean section, 237
 WATSON, B. P., AND GUSBERG, S. B., Prevention and treatment of carcinoma of the vulva, 179

tion and treatment of carcinoma of the vulva, 179

Weinberg, Arthur, and Scadron, Samuel J., The value and limitations of pelvioradiography in the management of dystocia, with special reference to midpelvic capacity, 255

Wengraf, Fritz, Psychoneurotic symptoms following hysterectomy, 645

Whitacre, Frank E. (With the assistance of Loeb, Walter M., Jr., and Loeb, Laura), The time for postpartum sterilization, 1041

Williams, Harold H. (With Pratt, J. P., Kaucher, Mildred, Moyer, Elsie, and Richards, Allen J.), Composition of the human placenta. II. Lipid content, 665

— (With Pratt, J. P., Kaucher, Mildred, Richards, Allen J., and Macy, Icie G.), Composition of the human placenta. I. Proximate composition, 402

402

WILLSON, J. ROBERT, Veratrum viride in the treatment of the toxemias of preg-nancy, 273
WINSON, S. G., An analysis of 257 cases of sterility, 631
WINTHER, NORA, Menorrheal problems in col-

lege women, 803

Young, RAYMOND L., Abnormal presentations among malformed infants, 419

ZERNER, HERBERT (WITH BERNSTEIN, PHINEAS, AND SCHOENECK, FERDINAND J.), Gov-ernment sponsorship of a maternity program in wartime, 510

## SUBJECT INDEX\*

Abdominal hysterectomy, total (Danforth),

Abortion and cervical dystocia, frequency of (Bret and Deplus), 872 (Abst.) therapeutic, in a general hospital (Dann-

therapeutic, in a general hospital (Dannreuther), 54
Abstracts, 166, 340, 523, 695, 869
Adenomyosis of uterus (Spatt), 581
cystic (Gold and Kearns), 840
Adnexa, female, gonococcus in, persistence of (Cohn et al.), 83
Adnexal tumors, torsion of, and its relation to surgical emergency (Kelberg and Randall), 464
Adrenal-like tumor of overy origin of

Adrenal-like tumor of ovary, origin of (Curtis), 115
Adrenals, diseases of (Soffer), 520 (B. rev.)
Amenorrhea not associated with pregnancy

Amenorrhea not associated with pregnancy in young women (Randall), 975 American Board of Obstetrics and Gynecology, Inc., 175, 348, 528, 704, 880, 1054

Inc., 175, 348, 528, 702, 663, (Items)

Gynecological Society, transactions of the sixty-ninth annual meeting, June 3-5, 1946, 881.

Obstetrical and Gynecological Societies, roster of, 177, 705

Amniotic sac, diagnosis of rupture of (Colmeiro-Laforet), 873 (Abst.)

Analgesia, continuous spinal, in cesarean section (Ullery), 100

Ancylostomiasis and hypoproteinemia complicated by pregnancy (Aaberg), 854

Anemia, adult Mediterranean, complicated by pregnancy (Hammond and Nuzum), 686

of newborn, congenital, serum iron and serum bilirubin in (Vahlquist), 873 (Abst.)

Anencephaly during pregnancy, diagnosis of (Perez), 167 (Abst.) early diagnosis of (Speck), 878 (Corre-

spondence)

Anesthesia, continuous caudal, treatment of acute postpartum thrombophlebitis of the lower extremity by (Benson), 830 local infiltration, addition of penicillin sodium to anesthetic agent (Reynolds), 641

local infiltration, addition of penicillin sodium to anesthetic agent (Reynolds), 641
nupercaine in obstetrics, saddle block with (Parmley and Adriani), 636
obstetric, aspiration of stomach contents into the lungs during (Mendelson), 191
Antepartum prediction of hemolytic disease of newborn (Page et al.), 794
Antigalactogens (Gavioli), 526 (Abst.)
Arachnodactyly, unusual complication following skull injury (Schneider), 699 (Abst.) (Abst.)

Arrhenoblastoma, another case of (Curtis),

complicating pregnancy, case of (Brentnall),
700 (Abst.)
of ovary (Goldstine), 123
with report of two cases (Jones and
Everett), 614

Artificial insemination 870 (Abst.) (Mateos Fournier),

Asphyxia in newborn, see-saw resuscitator for treatment of (Millen and Davies), 508
Aspiration of stomach contents into lungs during obstetric anesthesia (Mendel-

Birth rate, declining, psychosomatic medicine and (Halliday), 869 (Abst.)
Blood, whole, and its derivatives, present status of transfusion of, in obstetrics and gynecology (Tisdall), 788
Books, review of new, 517
Breast, cancer of, some unusual aspects of (Daland), 695 (Abst.)
Breech delivery, fetal mortality in (Dieckmann), 349
risk in (Guyer and Heaton), 362
presentation at term, behaviour of fetus in utero with special reference to incidence of (Vartan), 702 (Abst.)
in the "concepcion palacios maternity" (Ascanio), 697 (Abst.)
Broad ligament, lipomas of, extending beyond the confines of the pelvis (Flickinger and Masson), 681

Cancer and malignancies, 526, 695 (Absts.) cervical, a seven-year history in early (Taylor and Guyer), 451 of breast, some unusual aspects of (Daland), 695 (Abst.) of cervix and pregnancy (Albertelli), 172 (Abst.); (Rojas), 171 (Abst.) ovarian, review of one hundred cases of (Helsel), 435
Capillary filtration rates in pregnancy, further observations on (McLennan), 837
Carcinoma cervix uteri, treatment of, by radiotherapy (Sandler), 526 (Abst.) corpus (Miller and Henderson), 894 fundal, management of, controversial factors in (Scheffey et al.), 529 of uterine cervix, infrequency of, among Jewish women (Treusch et al.), 162 of vulva, prevention and treatment of (Watson and Gusberg), 179
Carcinomas, multiple primary (Siegler and Silverstein), 474
Cardiospasm in the newborn (Vinson), 874 (Abst.)
Catheter, retention (Kennedy), 506
Cells and tissues. physical chemistry of

(Abst.)
Catheter, retention (Kennedy), 506
Cells and tissues, physical chemistry of (Höber et al.), 519 (B. rev.)
Cerebrovascular complications of pregnancy (Eller), 488
Cervical cancer, early, a seven-year history in (Taylor and Guyer), 451
mucus, cyclic changes in the physical and chemical properties of (Pommerenke), 1023

1023

Cervicitis and vaginitis, new treatment for (Siegler), 1
Cervix, cancer of, and pregnancy (Albertelli), 172 (Abst.); (Rojas), 171 (Abst.) chancroid of, report of two cases (Day), 171 (Abst.) stenosis of, winged stem pessary to correct (Potter), 164
Cesarean operations on contaminated cases, intraperitoneal sulfonamide therapy in (Lopez Monti), 340 (Abst.) section, 340 (Absts.) continuous spinal analgesia in (Ullery), 100

extraperitoneal, evaluation of (Cosgrove and Waters), 237
relation of early rising to morbidity in (Headings and Palmer), 661
sulfonamides as a prophylactic agent in conjunction with (Hesseltine and Thelen), 813

<sup>\*</sup>July, pp. 1-178; August, pp. 179-348; September, pp. 349-528; October, pp. 529-706; November, pp. 707-880; December, pp. 881-1066.

Chancroid of cervix, report of two cases (Day), 171 (Abst.)
Chemistry of cells and tissues, physical (Höber et al.), 519 (B. rev.)
Chorea and pregnancy (Gosende and Sandiano), 876 (Abst.)
Chorionepithelioma in an 18-year-old primigravida (Durburg), 484
spontaneous healing of, a case of probable (Recasens Mendez), 695 (Abst.)
Conception, ovulation and, in women, test for determining (Farris), 14
Constriction ring dystocia (Rucker), 984
Cornual resection, pathogenesis of pelvic infection as determined by, interpretation of (Falk), 66
Corpus carcinoma (Miller and Henderson), 894

Correspondence, anencephaly, early diagnosis

orrespondence, anencephaly, early diagnosis of (Speck), 878 lactobacillus therapy in vaginitis due to trichomonas (Loeser), 879 pyridoxine in nausea and vomiting of pregnancy (Silbernagel and Burt), 173 recurrent placenta previa (Andrews and Nicholls), 347 the Guerman pregnancy test (Guterman), 174

traveling in pregnancy (Javert), 347
Cyclic changes in physical and chemical properties of cervical mucus (Pommerenke), 1023
Cyst, ovarian, a large (Hofmeister), 133
Cystadenoma of ovary, serous, bilateral concomitant fibroma and (Copland and Coleman), 141
Cystic adenomyosis of uterus (Gold and Kearns), 840
Cystoscope, air, with a universal handle and external light (Leff), 505
Cysts, perisalpingeal, origin of certain (Reis), 964

964

D

Delivery, breech, fetal mortality in (Dieckmann), 349 risk in (Guyer and Heaton), 362 Diabetes insipidus and pre-eclampsia (Nash),

Diabetes in 863

Diaphragmatic hernia, congenital (Thompson and Blanc), 169 (Abst.)
Diet, high protein, low caloric, for prevention of toxemia of pregnancy (Luikart),
428

Doctors, the ways of, and the practice of physic (Schumann), 881

Dye poisoning in the nursery (Graubarth et al.), 699 (Abst.)

Dystocia, constriction ring (Rucker), 984

pelvioradiography in managemnet of, value and limitations of, with special reference to midpelvic cavity (Weinberg and Scadron), 255

Eclampsia, hydatidiform mole, with special reference to recurrence and associated (Chesley et al), 311 postpartum, late (Stander et al), 765 spontaneous rupture of liver in, with fatal hemoperitoneum (Sanes and Kamingki) 225

nemoperitoneum (Sanes and Kaminski), 325
study on the newborn in (Orengo Diaz del Castillo), 345 (Abst.)
Eclamptic patients, future renal function of (Kunz and Raffo), 525 (Abst.)
Ectopic pregnancy, clinical evaluation of (Marchetti et al), 544
errors in diagnosis of (Clerc), 695 (Abst.) interstitial (Delascio and Assali), 341
(Abst.)
radiologic aspects of (deMoracs), 342

aspects of (deMoracs), 342

radiologic aspects of (Abst.)
(Abst.)
Electrical potentials of human uterus in labor (Dill and Maiden), 735
Embryology, contributions to (Carnegie Institution of Washington), 519 (B. rev.) human (Patten), 518 (B. rev.)

Endocrinology, 340 (Absts.) Endolymphatic stromal myosis (Henderson), 1000

Endolymphatic stromal myosis (Henderson), 1000

Endometrioma interstitiale, so-called, with report of three possible cases (DeCarle), 523 (Abst.)

Endometriosis, conservative surgery in (Beecham), 707
in association with pregnancy (Lock and Myers), 556
pelvic, cause of hydronephrosis (Leventhal and Solomon), 692

Endometrium, tuberculosis of (Di Guglielmo and Pepe) 523 (Abst.)

Enterocele, diagnostic technique for detection of (Waters), 810

Enterouterine fistula (Hawkes), 150
Environment in obstetrics (Moore), 993
Episiotomy, technic to obtain anatomical cicatrization (Otero), 344 (Abst.)

Ericson and Johnson resuscitator, modification of (Pavey), 867

Erythroblastosis fetalis, association of, and accidental antepartum hemorrhage (Burch), 875 (Abst.)
clinical analysis (Leonard), 700 (Abst.) in mothers with Rh positive blood (Polayes), 167 (Abst.)

Extrauterine pregnancy, 341, 695 (Absts.); (Dindia and Turcotte), 321

n tube, sliding hernia of (Gordon),

336
Fecundity, female, waking temperature in relation to (Barton and Wiesner), 869 (Abst.)
Fetal mortality in breech delivery (Dieckmann), 349 in 136 cases of multiple pregnancy, complications and (Munnell and Taylor), 588 polarity, aid in diagnosis of 100.

polarity, aid in diagnosis of (Savel), 861 risk in breech delivery (Guyer and Heaton), 362

Fetus in utero, behaviour of, with special reference to incidence of breech pres-entation at term (Vartan), 702

entation at term (Vartan), 702
(Abst.)
survival of, effect of prediabetic state on,
and on the birth weight of the newborn infant (Miller), 700 (Abst.)
Fibroma, abdominal wall, simulating ovarian
cystoma (McLennan and Holmstrom),
154
bilateral concernitant, and serous cystade-

bilateral concomitant, and serous cystadenoma of ovary (Copland and Coleman), 141
Fistula, enterouterine (Hawkes), 150
Follicle ripening, studies on (Van Ravensteyn), 518 (B. rev.)
Forceps, selection of, for midpelvic arrest of
vertex (Langman and Taylor), 773
Fundal carcinoma, management of, controversial factors in (Scheffey et al),
529

Gas bacillus infection in unborn fetus occurring at term, mother surviving (Thornhill), 858
Gauze, absorbable (oxidized) as a hemostatic agent in gynecologic surgery (Studdiford), 495
Genital bleeding two or more years after spontaneous cessation of menstruation, pathologic findings in (Cheek and Davis), 756
hypoplasia, social factors in (Rodriguez de Ginocchio), 345 (Abst.)
prolapse, recurrence of (Mazza), 342 (Abst.)
tract neoplasms, retroperitoneal tumors simulating (Stromme and Stander), 456

Genital-Cont'd

enital—Cont'd
tuberculosis, female, significance, diagnosis
and treatment (Kovacs), 870 (Abst.)
oiter, prevention of, in newborn (Wespi),
699 (Abst.)
prophylaxis with iodized salt, reduction of
deafness and dumbness in Switzerland as result of (Wespi), 699 (Abst.) Gonococcal pelvic inflammatory disease in female, acute, treatment of, with penicillin (Gray), 171 (Abst.)
Gonococcus in female adnexa, persistence of (Cohn et al), 83
Granulosa-cell tumor of ovary (Bianco and Favorite), 677; (Hodgson et al), 870 (Abst.) Guterman pregnancy test (Guterman), 174 (Correspondence) Gynatresia, postpartum traumatic (Brd), 704 (Abst.) Gynecologic disorders, influence of, on urinary system (Hundley and Diehl), 696 system (Abst.) (Abst.)
nursing (Crossen and Hoffert), 517 (B. rev).
operations, 343 (Absts.)
patients, thrombophlebitis and phlebothrombosis in (Meigs and Ingersoll), 938
practice, psychosomatic approach in (Bryson), 871 (Abst.)
surgery, absorbable (oxidized) gauze as a hemostatic agent in (Studdiford), 495
surgical procedures, critical study of 390
major (Malone), 291
Gynecology, 342, 523, 696, 870 (Absts.)
in industry (Peters and Foster), 698 (Abst.)
phlebothrombosis and thrombophlebitis in (Collins and Nelson), 946
synopsis of (Crossen), 517 (B. rev.)
urology in (Ercole), 342 (Abst.)

Heart disease in pregnancy (Stromme and Kuder), 264
Hemolytic disease associated with Rh factor in twin pregnancies (Conti and Glenn), 446
of newborn (Leonard), 700 (Abst.) antepartum prediction of (Page et al), Hemoperitoneum, fatal, spontaneous rupture of liver in eclampsia with (Sanes and Kaminski), 325
Hemorrhage, massive, rupture of uterus with, an unusual case of (Douglas), 135
Hernia, congenital diaphragmatic (Thompson and Blanc), 169 (Abst.)
sliding, of Fallopian tube (Gordon), 336
Holoacephalus, an unusual case of (Pennell and Kukral), 669
Hydatidiform mole, with special reference to recurrence and associated eclampsia (Chesley et al), 311
Hydramnios (Rivett), 890
successful treatment of, with ammonium chloride (Abrams and Abrams), 299
Hydronephrosis, pelvic endometriosis as cause of (Leventhal and Solomon), 692
Hypernephroma of ovary, origin of (Curtis), 115
Hypertension, essential an introduction to Hypertension, essential, an introduction to (Herndon), 521 (B. rev.) effect of, on pregnancy (Sharkey and Hess), 672 Hess), 672
in pregnancy (Monckeberg), 876 (Abst.)
Hyperthyroidism in women and in pregnancy (Perez), 340 (Abst.)
Hypnoanalysis, treatment of psychogynecic disorders by (Kroger), 409
Hypophysis, anterior, acute postpartum necrosis of (Nelson and Michaels), 817
Hypoproteinemia, ancylostomiasis and, complicated by pregnancy (Aaberg), 854
Hysterectomies, vaginal, report on 2,798
(Campbell), 598
study of 500 (Falk and Bunkin), 623
Hysterectomy, psychoneurotic symptoms following (Wengraf), 645

Hysterectomy—Cont'd total abdominal (Danforth), 206 and the "occasional operator," (Gaston), 343 (Abst.)

Icterus gravis neonatorum (Vahlquist), 873
(Abst.)
Ileal atresia, congenital, with gangrene, perforation and peritonitis in newborn infant (Arnheim), 345 (Abst.)
Impetigo neonatorum, penicillin ointment in treatment of (Kendig and Fiske), 874
(Abst.) Infants, malformed, abnormal presentations among (Young), 419
Infection, pelvic, pathogenesis of, as determined by cornual resection, interpretation of (Falk), 66
Insemination, artificial (Mateos Fournier), 870 (Abst.)
International Congress of Obstetrics and Gynecology, 1054 (Item)
Intrapartum fever, a preliminary study (Odell and Plass), 89
Iron metabolism during pregnancy (Renaer), 518 (B. rev.)
Item, American Board of Obstetrics and Gynecology, Inc., 175, 348, 528, 704, 880, 1054
The International Congress of Obstetrics The International Congress of Obstetrics and Gynecology, 1054

Third American Congress on Obstetrics and Gynecology, 880

Kielland forceps for use in occipitoposterior and occipitotransverse positions (Kushner and Wahrsinger), 110

Labor, conduct of, in presence of thrombosis (Pali), 698 (Abst.)
fourth stage of (Greenberg), 746
in overweight women (Biro), 697 (Abst.)
induction of, different methods of (Chanal),
873 (Abst.)
medical (Morassi), 344 (Abst.)
management, complications, 343, 697, 872
(Absts.)
medical induction of (Morassi), 344 (Abst.)
prolonged, treatment of, with posterior
pituitary extract (Reid), 719
uterus in, electrical potentials of human
(Dill and Maiden), 735
Lactobacillus therapy in vaginitis due to
trichomonas (Loeser), 879
Leech treatment in obstetrics and gynecology
(Kese), 697 (Abst.)
Leiomyosarcoma of uterus with metastasis
(Brooke and Thomason), 695 (Abst.)
Lipomas of broad ligament extending beyond
the confines of pelvis (Flickinger and
Masson), 681
of uterus, primary (Reich and Nechtow),
157
Liver, spontaneous rupture of, in eclampsia Liver, spontaneous rupture of, in eclampsia with fatal hemoperitoneum (Sanes and Kaminski), 325 umbilical accessory (Nora and Carr), 330 Luteinoma, origin of (Curtis), 115 Luteoma, origin of (Curtis), 115 Lymphangioma, mesenteric, with intestinal obstruction complicating uterine carcinoma and fibromyoma (Waters), 478

Malformed infants, abnormal presentations among (Young), 419
Malignancies, 171 (Absts.)
Manchester operation, with special reference to parturition and complete prolapse (Gordon), 228

Masculinovoblastoma, origin of (Curtis), 115
Maternal mortality in province of Buenos
Aires (Leon), 525 (Abst.)
obstetric paralysis (Cole), 372
weight gain, relationship of, to weight of
newborn infant (Klein), 574
Maternity program in wartime, government
sponsorship of (Bernstein et al), 510
Medical care of young women, clinical significance of data accumulated in
(Hardy), 872 (Abst.)
Medicine, preventive, and public health (Smillie), 521 (B. rev.)
Mediterranean anemia, adult, complicated by
pregnancy (Hammond and Nuzum),
686

pregnancy 686

pregnancy (Hammond and Addum), 686
Menorrheal problems in college women (Winther), 803
Menstrual cycle, variability of, delayed ovulation a significant factor in (Rossman and Bartelmez), 28
Menstruation, spontaneous cessation of, pathologic findings in genital bleeding two or more years after (Cheek and Davis), 756
Mesenteric lymphangioma with intestinal obstruction complicating uterine careinoma and fibromyoma (Waters), 478
Micturition, muscle of (Kennedy), 206
Multiple pregnancy, complications and fetal mortality in 136 cases of (Munnell and Taylor), 588
Muscle of micturition (Kennedy), 206 Necrology, Eden, Thomas Watts, 877
McGlinn, John A., 1054
Ryder, George Hope, 527
Newborn, 345, 699, 873, (Absts.)
asphyxia in, see-saw resuscitator for treatment of (Millen and Davies), 508
cardiospasm in (Vinson), 874 (Abst.)
congenital anemia of, serum iron and serum
bilirubin in (Vahlquist), 873 (Abst.)
hemolytic disease of (Leonard), 700 (Abst.)
antepartum prediction of (Page et al),
794 in eclampsia, studies on (Orengo Diaz del Castillo), 345 (Abst.)
infant, congenital ileal atresia with gangrene, perforation, and peritonitis in (Arnheim), 345 (Abst.)
hereditary skin defect in (Freud et al), 874 (Abst.)
weight of, relationship of maternal weight gain to (Klein), 574
oronasal cavity of, bacteriology of (Cornelison et al), 797
prevention of goiter in (Wespi), 699 (Abst.)
Nupercaine in obstetrics, saddle block anesthesia with (Parmley and Adriani), 636 Nursery, dye poisoning in (Graubarth et al), 699 (Abst.) Nutrition in pregnancy (Lund), 166 (Abst.)

Obstetric anesthesia, aspiration of stomach contents into lungs during (Mendelson), 191
paralysis, maternal (Cole), 372
patient, overweight (Odell and Mengert),
166 (Abst.)

166 (Abst.)
Obstetrics and gynecology, leech treatment in (Kese), 697 (Abst.)
synopsis of (Bourne), 517 (B. rev.)
transfusion of whole blood and its derivatives in, present status of (Tisdall), 788
yearbook of, 1945 (Greenhill), 517 (B.

rev.) environment in (Moore), 993 nupercaine in, saddle block anesthesia with (Parmley and Adriani), 636 operative, preventive local chemotherapy in (Perez and Blanchard), 703 (Abst.) Obstetrics—Cont'd phlebothrombosis and thrombophlebitis in (Collins and Nelson), 946 plasma pitocinase determinations in, value of (Page), 1014 practical (Barbosa), 518 (B. rev.)
Rh factor in (Belson), 106 some clinical aspects of (King and Davenport), 917
Occipitoposterior and occipitotransverse positions, Kielland forceps for use in (Kushner and Wahrsinger), 110
Ophthalmia neonatorum, penicillin locally in eyes of newborn infants to prevent (Bloxsom), 874 (Abst.)
Oronasal cavity of newborn, bacteriology of (Cornelison et al), 797
Ovarian cancer, review of one hundred cases of (Helsel), 435
cyst, diagnosis of, new procedure for (Abad Colomer), 342 (Abst.)
large (Hofmeister), 133
cystoma, abdominal wall fibroma simulating (McLennan and Holmstrom), 154
Ovaries, condition of, in cases of uterine myoma (Calvo Marcos and Botella Llusia), 342 (Abst.)
Ovary, adrenal-like tumor of, origin of (Curtis), 115
arrhenoblastoma of (Goldstine), 123
with a report of two cases (Jones and Everett), 614
cystadenoma of, serous, bilateral concomitant fibroma and (Copland and Coleman), 141
granulosa- and theca-cell tumors of, question of so-called (Scheidegger), 697

granulosa- and theca-cell tumors of, question of so-called (Scheidegger), 697 (Abst.)
granulosa-cell tumor of (Bianco and Favorite), 677; (Hodgson et al), 870 (Abst.)

multilocular pseudomucinous cystadenoma of, Meigs' syndrome in a case of (Millet and Shell), 523 (Abst.) solid teratomas of, with neurological metastases (Proskauer), 845
Overweight obstetric patient (Odell and Mengert), 166 (Abst.)
women, labor in (Biro), 697 (Abst.)
Ovulation and conception in women, test for determining (Farris), 14
basal body temperature grasps as an index to (Tompkins), 699 (Abst.)
delayed, a significant factor in the variability of the menstrual cycle (Rossman and Bartelmez), 28
Ovum, intact dead, retained, treatment of (Turenne), 346 (Abst.)

Parotitis, acute suppurative, complicating pregnancy at term (Goldfarb and Veprovsky), 147
Parturition and complete prolapse, Manchester operation with special reference to (Gordon), 228
Pediatrics, textbook of (Nelson), 522 (B. rev.)
Pelvic infection, pathogenesis of, as determined by cornual resection, interpretation of (Falk), 66
masses, suppurative, rupture of (Miller), 871 (Abst.)
puerperal suppuration spontaneously opened into the rectum (Trivelli and Garcia), 168 (Abst.)
size, relative, graphic portrayal of (Mengert and Eller), 1032
variation, discussion of, and a report on the findings in 100 Negro women (Thoms), 248
Pelvioradiography in management of dystocia, value and limitations of, with special reference to midpelvic capacity (Weinberg and Scadron), 255
Penicillin locally in eyes of newborn infants to prevent ophthalmia neonatorum (Bloxsom), 874 (Abst.)

Penicillin--Cont'd

ointment in treatment of impetigo neona-torum (Kendig and Fiske), 874 (Abst.)

ose treatment of chronic gonorrheal vaginitis in children (Sako et al), 170 one-dose (Abst.)

(Abst.)
puerperal infection treated with, two cases
of grave (Keymer), 169 (Abst.)
pyopneumothorax in premature baby successfully treated with (Harris and
Platou), 874 (Abst.)
sodium, addition of, to anesthetic agent for
local infiltration anesthesia (Reynolds), 641
treatment of acute gonococcal pelvic inflammatory disease in female (Gray), 171
(Abst.) (Abst.)

Periarteritis nodosa occurring in first month of life, two cases of (Wilmer), 873 (Abst.)

Perisalpingeal cysts, origin of certain (Reis),

Pessary, winged stem, to correct stenosis of cervix (Potter), 164
Phlebothrombosis and thrombophlebitis in gynecologic patients (Meigs and Ingersoll), 938
in gynecology and obstetrics (Collins and Nelson), 946
Phlegmasia, postpartum, without fever or permanent tachycardia (Vignes), 168 (Abst.)

Physiology, synopsis of (Main), 521 (B. rev.)

Placenta attached to spleen, abdominal preg-nancy with (Kushner and Dobrzyn-ski), 160

hancy with (Rushner and Bobizynski), 160
human, composition of (Pratt et al), 402, 665, 783
lipid content (Pratt et al), 665
vitamin content (Pratt et al), 783
manual extraction of, and hydraulic injection (Dominguez Sisco and Aguero), 698 (Abst.)
removal (Sewall and Coulton), 564
previa, recurrent (Andrews and Nicholls), 347 (Correspondence)
study of 174 cases (Macafee), 701 (Abst.)
Placental thromboplastin, human, studies on (Copley), 344 (Abst.)
Plasma pitocinase determinations in obstetrics, value of (Page), 1014
Poliomyelitis in pregnancy (Fox and Sennet), 167 (Abst.)
Postpartum eclampsia, late, (Stander et al),

Postpartum eclampsia, late, (Stander et al),

765

necrosis of anterior hypophysis, acute (Nelson and Michaels), 817
phlegmasia without fever or permanent tachycardia (Vignes), 168 (Abst.)
sterilization, time for (Whitacre et al), 1041
thrombophlebitis of lower extremity, acute, treatment of, by continuous caudal anesthesia (Benson), 830
uterus, physiology and clinical aspects of, during the first postplacental hour (Greenberg), 746
Pre-eclampsia, diabetes insipidus and (Nash), 863

Pregnancies, twin, hemolytic disease associated with the Rh factor in (Conti and Glenn), 446

Pregnancy, abdominal, with placenta attached to the spleen (Kushner and Dobrzynski), 160

acute salpingitis and (Bidoire), 346 (Abst.) suppurative parotitis complicating pregnancy at term (Goldfarb and Veprovsky), 147

adult Mediterranean anemia complicated by (Hammond and Nuzum), 686

amenorrhea not associated with, in young women (Randall), 975

ancylostomiasis and hypoproteinemia complicated by (Aaberg), 854

and labor, rupture of uterus during, fifty cases of (Frid), 343 (Abst.)

anemia in, sickle-cell (Noyes), 469

-Cont'd Pregnancyanencephaly during, diagnosis of (Perez), 167 (Abst.) arrhenoblastoma complicating, case of

arrhenoblastoma complicating, case of (Brentnall), 700 (Abst.)
cancer of cervix and (Albertelli), 172 (Abst.); (Rojas), 171 (Abst.)
capillary filtration rates in, further observations on (McLennan), 837
carcinoma of the colon producing acute intestinal obstruction during (Finn and Lord), 524 (Abst.)
cerebrovascular complications of (Eller), 488
chorea and (Gosenda and Colon area.

chorea and (Gosende and Sandiano), 876 (Abst.) complications, (Absts.) 167, 346, 524,

(Absts.)
early, clinical sign diagnostic of (Braga),
702 (Abst.)
syphilis complicated by, treatment with
massive arsenotherapy (Curtis and
Morrow), 284
ectopic, clinical evaluation of (Marchetti),
544
errors in diagnosis of (Clerc), 695 (Abst.)
radiologic aspects of (deMoracs), 342
(Abst.)
effect of essential hypertension on (Sharkey

(Abst.)
effect of essential hypertension on (Sharkey and Hess), 672
electrophoretic analysis of serum in, and in pregnancy toxemia (Lagercrantz), 876 (Abst.)
endometriosis in association with (Lock and Myers), 556
extrauterine, 341, 695 (Absts.); (Dindia and Turcotte), 321
Guterman test (Guterman), 174 (Correspondence)
heart disease and (Stromme and Kuder), 264
histaminase activity during, short study of

histaminase activity during, short study of (Koloszynski), 877 (Abst.) hypertension in (Monckeberg), 876 (Abst.) hyperthyroidism in women and in (Perez), 340 (Abst.)

340 (Abst.)
interstitial ectopic (Delascio and Assali),
341 (Abst.)
excision of cornu because of, pregnancy
and rupture in scar area after salpingectomy with (Kaeser), 696

(Abst.) iron metabolism during (Renaer), 518 (B.

iron metabolism during (Renaer), 518 (B. rev.)
maternal rubella in early weeks of, congenital anomalies following (Albaugh), 874 (Abst.)
multiple, complications and fetal mortality in 136 cases of (Munnell and Taylor), 588
with early abortion of one fetus (Butler and Howard), 163
nausea and vomiting of, pyridoxine in (Silbernagel and Burt), 173 (Correspondence)

dence)
nutrition in (Lund), 166 (Abst.)
pernicious vomiting of, due to sensitivity to
semen (James), 701 (Abst.)
pertussis vaccine during, immunity response
of mothers and babies to injections of
(Kendrick et al), 702 (Abst.)
physiology, diagnosis, 166, 702, 877 (Absts.)
poliomyelitis in (Fox and Sennet), 167
(Abst.)
prolonged (Schwarcz and Pinto), 524
(Abst.)
Rh factor in, some observations upon (In-

(Abst.)
Rh factor in, some observations upon (Ingram), 440
rubella during, its sequelae of congenital defects in the child (Gregg), 167 (Abst.) sickle-cell anemia in (Noyes), 469
thiouracil in, effect on fetal thyroid (Davis and Forbes), 876 (Abst.)
toxemia of, endocrine factors in mechanism of (Hofbauer), 525 (Abst.)
high protein, low caloric diet for prevention of (Luikart), 428
toxemias of, veratrum viride in treatment of (Willson), 273

Pregnancy—Cont'd traveling in (Javert), 347 (Correspondence) tubal, bilateral simultaneous (Harris and Leviton), 492; (MacDonaid and Masters), 850 simultaneous ruptured, and intrauterine pregnancy with subsequent delivery of a normal infant (Howard), 696 (Abst.)

pregnancy with subsequent derivery of a normal infant (Howard), 696 (Abst.)

weight control, diet, and fluid balance in (Loughran), 42

Pregnant uterus, five months', instrumental rupture of (Badia), 167 (Abst.)

Prenatal tuberculosis (Elizalde and Latienda), 345 (Abst.)

Presentations, abnormal, among malformed infants (Young), 419

Prolapse of umbilical cord (Gusberg), 826

Psychogynecic disorders, treatment of, by hypnoanalysis (Kroeger), 409

Psychoneurotic symptoms following hysterectomy (Wengraf), 645

Psychosomatic approach in gynecologic practice (Bryson), 871 (Abst.)

medicine and the declining birth-rate (Halliday), 869 (Abst.)

Puerperal infeccion treated with penicillin, two cases of grave (Keymer), 169

(Abst.)

two cases of (Abst.)
rising, early (King), 657
Puerperium, 168, 526, 703 (Absts.)
late bleeding in, cause of (Palik and Rechwitz), 703 (Abst.)
spontaneous expulsion of intraparietal uterine tumors during (Rodriguez), 703
(Abst.)

ine tumors during (Rodriguez), 703 (Abst.)

Pyelonephritis associated with puerperal state, bacteriologic study of (Trillat and Notter), 169 (Abst.)

Pyopneumothorax in premature baby successfully treated with penicillin (Harris and Platou), 874 (Abst.)

Pyosalpinx evacuated spontaneously through uterine ostium of the tube (De la Colina and Dixon), 526 (Abst.)

Pyridoxine in nausea and vomiting of pregnancy (Silbernagel and Burt), 173 (Correspondence)

(Correspondence)

Radiotherapy, treatment of carcinoma cervix uteri by (Sandler), 526 (Abst.)

Renal function of eclamptic patients, the future (Kunz and Raffo), 525 (Abst.)

Respiration during the first hour of life (Gottschalk), 651

Resuscitator, Ericson and Johnson, modification of (Pavey), 867

see-saw, for treatment of asphyxia in newborn (Millen and Davies), 508

Retention catheter (Kennedy), 506

Retroperitoneal tumors simulating genital tract neoplasms (Stromme and Stander), 456

Rh factor, hemolytic disease associated with, in twin pregnancies (Conti and Glenn), 446

in obstetrics (Belson), 106

some clinical aspects of (King and Davenport), 917

in pregnancy, some observations upon (Ingram), 440

Rh iso-immunization, review of cases, during past five years in the Royal Victoria Montreal Maternity Hospital (Philpott et al), 926

Roster of American Obstetrical and Gynecological Societies, 177, 705

Rupture of suppurative pelvic masses (Miller), 871 (Abst.)

Ruptured uteri, an analytical report (Beacham and Varino), 701 (Abst.)

Salpingectomy, pregnancy and rupture in scar area after, with excision of cornu be-cause of interstitial pregnancy (Kaeser), 696 (Abst.)

Salpingitis, acute, and pregnancy (Bidoire), 346 (Abst.)
Sarcoma of uterine tube, primary, clinical and pathologic aspects of (Scheffey et al), 904 presses (Dickl. and Haught), 202

Sarcoma of uterine tube, primary, clinical and pathologic aspects of (Scheffey et al), 904
of vagina (Diehl and Haught), 302
Semen analysis in 1,500 cases of sterile marriage (MacLeod and Hotchkiss), 34
Sex hormones, biological action of (Burrows), 520 (B. rev.)
Sickle-cell anemia in pregnancy (Noyes), 469
Spinal analgesia, continuous, in cesarean section (Ullery), 100
Stenosis of cervix, winged stem pessary to correct (Potter), 164
Sterile marriage, semen analysis in 1,500 cases of (MacLeod and Hotchkiss), 34
Sterility, analysis of 257 cases (W.nson), 631 fertility, contraception, 869 (Absts.)
Sterilization, postpartum, time for (Whitacre et al), 1041
Stomach contents, aspiration of, into lungs during obstetric anesthesia (Mendelson), 191
Strassmann's operation in some uterine malformations (Borras), 343 (Abst.)
Streptococci isolated from female urinary tract, significance of (Schaub and Davis), 872 (Abst.)
Sulfonamide therapy, intraperitoneal, in cesarean operations on contaminated cases (Lopez Monti), 340 (Abst.) of vulvar condylomatosis, trial of (Carceller), 170 (Abst.)
Sulfonamides as a prophylactic agent in conjunction with cesarean section (Hesseltine and Thelen), 813
Surgery, conservative, in endometriosis (Beecham), 707
gynecologic, absorbable (oxidized) gauze as a hemostatic agent in (Studdiford), 495
Syphilis, early, complicated by pregnancy, treathernout with research as a section cannot be treathernout with research as a section cannot be treathernout with research as a section cannot be treathernout treathernout with research as a section cannot be treathernout treathernout with research as a section cannot be treathernout with research as a section cannot be treathernout treathernout treathernout treathernout as a section cannot be transported as a section cannot be transported as a section cannot be received as a section cannot be receiv

a 1 Syphilis, early, complicated by pregnancy, treatment with massive arsenotherapy (Curtis and Morrow), 284

Teratomas, solid, of ovary with neurological metastases (Proskauer), 845
Therapy, Cornell conferences on (Gold et al), 521 (B. rev.)
Thiouracil in pregnancy, effect on fetal thyroid (Davis and Forbes), 876 (Abst.)
Third American Congress on Obstetrics and Gynecology, 880 (Item)
Thrombophlebitis, acute postpartum, of lower extremity, treatment of, by continuous caudal anesthesia (Benson), 830
and phlebothrombosis in gynecologic patients (Meigs and Ingersoll), 938
in gynecology and obstetrics (Collins and Nelson), 946
Thromboplastin, human placental, studies on (Copley), 344 (Abst.)
Thrombosis, conduct of labor in presence of (Pali), 698 (Abst.)
Torsion of adnexal tumors and its relation to surgical emergency (Kelberg and Randall), 464
Toxemia of pregnancy, electrophoretic analysis of serum in (Langercrantz), 876

Randall), 464
Toxemia of pregnancy, electrophoretic analysis of serum in (Langercrantz), 876 (Abst.)
endocrine factors in mechanism of (Hofbauer), 525 (Abst.)
high protein, low caloric diet for prevention of (Luikart), 428
veratrum viride in treatment of (Willson), 273
Tubal peristals question of (Müller), 596

Tubal peristalsis, question of (Müller), 696
(Abst.)
pregnancy, bilateral simultaneous (Harris and Leviton), 492; (MacDonald and Masters), 850
simultaneous ruptured, and intrauterine pregnancy with subsequent delivery of a normal infant (Howard), 696

(Abst.)

Tube, uterine ostium of pyosalpinx evacuated spontaneously through (De la Colina and Dixon), 526 (Abst.)

Tuberculosis, genital, significance, diagnosis, and treatment (Kovacs), 870 (Abst.) of endometrium (Di Guglielmo and Pepe), 523 (Abst.)

prenatal (Elizalde and Latienda), 345

prenatal (Elizalde and Latienda), 345
(Abst.)
Tubes, insufflation of, with carbon dioxide, simplified apparatus for (Smith), 501
Tumor, adrenal-like, of ovary, origin of (Curtis), 115
granulosa-cell of ovary (Bianco and Favorite), 677; (Hodgson et al), 870
(Abst.)
intraparietal uterine, spontaneous expulsion of, during the puerperium (Rodriguez), 703 (Abst.)
Tumors, adnexal, torsion of, and its relation to surgical emergency (Kelberg and Randall), 464
granulosa- and theca-cell, of ovary, question of co-called (Scheidegger), 697
(Abst.)

(Abst.) retroperitoneal,

simulating genital tract (Stromme and Stander), neoplasms 456

Twin pregnancies, hemolytic disease associated with Rh factor in (Conti and Glenn), 446

Umbilical accessory liver (Nora and Carr),

cord, human, anatomic peculiarities of, and their clinical significance (Spivack),

prolapse of (Gusberg), 826
Urinary system, influence of gynecologic disorders on (Hundley and Diehl), 696
(Abst.)
tract, female, steptococci isolated from, significance of (Schaub and Davis)

female, streptococci isolated from, significance of (Schaub and Davis),

significance of (Schaub and Davis),
872 (Abst.)
Urology in gynecology (Ercole), 342 (Abst.)
Uteri, retroverted, combined procedure for anteroversion of (Javert), 865
ruptured, an analytical report (Beacham and Varino), 701 (Abst.)
Uterine carcinoma and fibromyoma, mesenteric lymphangioma with intestinal obstruction complicating (Waters),
478
cervix, carcinoma of infrared

478
cervix, carcinoma of, infrequency of, among
Jewish women (Treusch et al), 162
contraction rings, varying degrees of, clinical diagnosis of (Johnson), 74
malformations, Strassmann's operation in
some (Borras), 343 (Abst.)
myoma, condition of ovaries in cases of
(Calvo Marcos and Botella Llusia),
342 (Abst.)
tube, sarcoma of, clinical and pathologic
aspects of primary (Scheffey et al),
904

Uterine—Cont'd x-ray therapy, obstetrical consequences of (Bret and Deplus), 872 (Abst.) Uterus, adenomyosis of (Spatt), 581 cystic adenomyosis of (Gold and Kearns), 840

in labor, human, electrical potentials of (Dill and Maiden), 735 leiomyosarcoma of, with metastasis (Brooke and Thomason), 695 (Abst.) lipoma of, primary (Reich and Nechtow), 157

postpartum, physiology and clinical aspects of, during first postplacental hour (Greenberg), 746 pregnant, instrumental rupture of a five months' (Badia), 167 (Abst.) rupture of, during pregnancy and labor, fifty cases of (Frid), 343 (Abst.) with massive hemorrhage, an unusual case of (Douglas), 135

of (Douglas), 135

Vagina, rupture of posterior, during normal coitus (Nicholls), 500 sarcoma of (Diehl and Haught), 302 Vaginal infections, 170 (Absts.) hysterectomies, report on 2,798 (Campbell), 598

hysterectomies, report on 2,798 (Campbell),
598
study of 500 (Falk and Bunkin), 623
Vaginitis and cervicitis, new method of treatment (Siegler), 1
and vulvar irritations in infants and children, current concepts of (Schauffler
and Schauffler), 170 (Abst.)
chronic gonorrheal, in children, one-dose
penicillin treatment of (Sako et al),
170 (Abst.)
due to trichomonas, lactobacillus therapy
in (Loeser), 879 (Correspondence)
Venereal diseases, 171 (Absts.)
Veratrum viride in treatment of toxemias of
pregnancy (Willson), 273
Vertex, midpelvic arrest of, selection of forceps for (Langman and Taylor), 773
Vitamin content of human placenta (Pratt
et al), 783
Vomiting of pregnancy, pernicious, due to
sensitivity to semen (James), 701
(Abst.)

(Abst.)

(Abst.)

Vulva, carcinoma of, prevention and treatment of (Watson and Gusberg) 179

Vulvar condylomatosis, sulfonamide therapy in a case of (Carceller), 170 (Abst.)

## W

Weight control, diet, and fluid balance in pregnancy (Loughran), 42 curve, normal, of newly born, study of deviations from (De La Villa and Nieto), 875 (Abst.)
gain, maternal, relationship of, to weight of newborn infant (Klein), 574

